**2006** 

Appn. Ser. No.: 09/460,455 Atty Docket No.: 96-3-511 CONRCE2

Customer No.: 32127

## LISTING OF THE CLAIMS

VERIZON IP

This listing of claims will replace all prior versions, and listings, of claims in the present application. Additions to existing claims are identified by underlining. Deletions to existing claims are indicated by strikethrough or [[double brackets]].

- 1.-6. (Cancelled)
- 7. (Currently Amended) A method comprising:

retrieving first network information having interactive elements; creating second network information based on the first network information, the second network information comprising display information and definitions based on characteristics of the interactive elements;

transmitting the second network information;

receiving the second network information;

recomposing the second network information to form third network information, the third network information including the interactive elements.

- 8. (Canceled)
- (Original) The method according to claim 7, wherein the step of retrieving network 9. information includes the substep of: accessing the Internet.
- (Previously presented) The method according to claim 7, wherein the step of transmitting 10. includes the substep of:

translating the display information from a first format to a second format.

11. (Canceled)

Appn. Ser. No.: 09/460,455 Atty Docket No.: 96-3-511 CONRCE2

Customer No.: 32127

→→→ USPATENT-AMEND

12. (Original) The method according to claim 7, further comprising the step of: receiving user requests related to the definitions.

- 13.-49. (Cancelled)
- 50. (Currently Amended) A system comprising:
  - a receiver device for receiving a request for first network information;
  - a retrieval device for retrieving first network information having interactive elements;
  - a second network information creation device for creating second network information based on the first network information, the second network information comprising display information and definitions based on characteristics of the interactive elements;
  - a transmitting device for transmitting the second network information;
  - a receiving device for receiving the second network information, and
  - a recomposing device for recomposing the second network information to form third network information, the third network information including the interactive elements.
- 51-52.(Canceled)
- 53. (Previously Presented) The system according to claim 50, wherein the retrieval device includes:

an accessing device for accessing the Internet.

- 54. (Previously Presented) The system according to claim 50, wherein the transmitting device includes:
  - a translation device for translating the display information from a first format to a second format.

PAGE 7/14 \* RCVD AT 4/17/2006 10:17:46 AM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-2/1 \* DNIS:2738300 \* CSID:9727183946 \* DURATION (mm-ss):03-52

Appn. Ser. No.: 09/460,455 Atty Docket No.: 96-3-511 CONRCE2

Customer No.: 32127

55. (Previously Presented) The system according to claim 50, further comprising:
a user request receiving device for receiving user requests related to the
definitions.

56.- 70. (Cancelled)

- 71. (New) A system comprising:
- a hybrid fiber-coax (HFC) network;
- a headend connected to the HFC network and configured to transmit digital video signals over the HFC network
- a video server connected to the HFC network and configured to store video and transmit video on demand;
- an Internet access system connected to the headend and configured to receive first requested information, create second requested information based on the first requested information, and transmit the second requested information over the HFC network;
- a user interface device connected to the HFC network and a display device, the user interface device configured to receive digital video signals over the HFC network, receive the second requested information from the Internet access system over the HFC network, perform recomposition on the second requested information to create third requested information, and transmit the third requested information to a display device;
- wherein the second requested information is created based on a display capability of the display device.
- 72. (New) The system of claim 71, wherein the user interface device is a set-top box and the display device is a television.
- 73. (New) The system of claim 71, wherein the user interface device includes a browser client and the Internet access system includes a browser server having a client interface, and wherein the client interface creates the second requested information and transmits the second requested information to the browser client.

PAGE 8/14 \* RCVD AT 4/17/2006 10:17:46 AM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-2/1 \* DNIS:2738300 \* CSID:9727183946 \* DURATION (mm-ss):03-52

Appn. Ser. No.: 09/460,455

Atty Docket No.: 96-3-511 CONRCE2

Customer No.: 32127

- 74. (New) The system of claim 71, wherein the Internet access system is configured to create the second requested information by scanning the first requested information for interactive elements, removing the interactive elements to create a resulting display signal, encoding the interactive elements and encoding the resulting display signal, and wherein the second requested information includes the encoded interactive elements and the encoded resulting display signal.
- 75. (New) The system of claim 74, wherein the encoded interactive elements are encoded as HyperText Markup Language (HTML) definitions and the encoded resulting display signal is encoded as at least one MPEG I-frame.
- 76. (New) The system of claim 71, wherein the first requested information comprises a Webbased service accessible via a Uniform Resource Locator.
- 77. (New) The system of claim 71, wherein the display capability is at least one of a resolution of the display and a color capability of the display.
- 78. (New) The system of claim 71, wherein the Internet access system is further configured to store session information, wherein the session information includes a current state of a current session with the user interface device, receive bookmark requests from the user interface device and set a bookmark that permits a user to access the current session at the current state on an alternate display device different than the display device.
- 79. (New) The system of claim 78, wherein the user interface device is further configured to transmit state change information to the Internet access system and transmit bookmark requests to the Internet access system.
- 80. (New) The system of claim 78, wherein the Internet access system includes a browser server and an Internet server, wherein the Internet server stores the bookmark.

Appn. Ser. No.: 09/460,455

Atty Docket No.: 96-3-511 CONRCE2

Customer No.: 32127

81. (New) The system of claim 78, wherein the Internet access system includes a browser server and a database, wherein the database stores the bookmark.

82. (New) The system of claim 71, wherein the Internet access system is further configured to store user preference information, wherein the user preference information includes at least one of recently accessed pages and frequently accessed pages.